



South Placer Fire District

6900 Eureka Road
Granite Bay, California 95746
Ph (916) 791-7059 Fax (916) 791-2199
www.southplacerfire.org

Board of Directors

Mike DeLaurentis
Craig Powell
Gregary Grenfell
Sean Mullin
David Harris

Fire Chief

Lawrence Bettencourt

An Organization Committed To The Well-Being Of The South Placer Community

March 15, 2013

Microtechnics, INC.
7970 Twin Rocks Road
Granite Bay, Ca. 95746

Re: Develop and sell custom long gun ammunition

Mr. Gary Gaugler:

The Fire District inspected your home based place of business at 7970 Twin Rocks Road. The District approves your business plan and facilities with the following stipulations:

- 1) No more than 20lbs of smokeless gun powder will be permitted on site per Health and Safety Code Section 12000 (f).
- 2) No more than 5lbs of black powder will be permitted on site per Health and Safety Code Section 12000 (f). **Total on site gunpowder cannot exceed 20lbs.** The Fire District must be notified if black powder is used in the future.
- 3) No flammable liquid storage allowed in the detached garage with the gun powder, primers, and other ammunition loading equipment.
- 4) The only person permitted to develop and load custom ballistics is you.
- 5) Vegetation management must be maintained around the garage per Public Resources Code 4291.

A handwritten signature in black ink, appearing to read "Lawrence Bettencourt", is written over a horizontal line.

Lawrence Bettencourt, Fire Chief